



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS - 1963 - A



NPS 68-85-020

NAVAL POSTGRADUATE SCHOOL Monterey, California



DTIC ELECTE 00T 4 1985

MIZLANT 81 DATA REPORT

RESULTS OF AN OCEANOGRAPHIC CRUISE TO THE GREENLAND SEA OCTOBER - NOVEMBER 1981

BY

Robert H. Bourke and Robert G. Paquette

August 1985

Approved for public release; distribution unlimited

Prepared for: Director, Arctic Submarine Laboratory Naval Ocean Systems Center San Diego, CA 92152

ଳରୁ 20 ପ୍ର

NAVAL POSTGRADUATE SCHOOL Monterey, CA 93943-5100

Rear Admiral R.H. Shumaker Superintendent

David A. Shrady Provost

The work reported herein was supported in part by the Arctic Submarine Laboratory, Naval Ocean Systems Center, San Diego, CA under several Work Orders, the latest of which is N 66001-84-WR00376.

Reproduction of all or part of this report is authorized.

This report was prepared by:

ROBERT H. BOURKE

Assoc. Prof. of Oceanography

ROBERT G. PAQUETTE

Prof. Oceanography

Reviewed by

CHRISTOPHER N.W. MODERS, Chariman

Department of Oceanography

Released by:

JOHN AL DYER

Dean of Science and Engineering

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

REPORT DOCUMENTATI		READ INSTRUCTIONS BEFORE COMPLETING FORM
REPORT HUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
NPS 68-85-020	AD-A159709	
TITLE (and Subtitle)		5. TYPE OF REPORT & PERIOD COVERES
MIZLANT 81 DATA REPORT, RESU OGRAPHIC CRUISE TO THE GREEN		1 OCT 80 - 31 DEC 81
NOVEMBER 1981.		6. PERFORMING ORG. REPORT NUMBER NPS 68-85-020
AUTHOR(e)		8. CONTRACT OR GRANT NUMBER(s)
ROBERT H. BOURKE AND ROBERT	G. PAQUETTE	N66001-84-WR-00376
PERFORMING ORGANIZATION NAME AND ADD	RESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
NAVAL POSTGRADUATE SCHOOL		C25201
MONTEREY, CA 93943-5100		63522N
CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE
ARCTIC SUBMARINE LABORATORY	MINE CARGINAL CONTRACT	AUGUST 85
CODE 54, BLDG. 371, NAVAL OC SAN DIEGO, CA 92152		13. NUMBER OF PAGES 74
MONITORING AGENCY NAME & ADDRESS(If di	Iferent from Controlling Office)	15. SECURITY CLASS. (of this report)
		UNCLASSIFIED
		154. DECLASSIFICATION DOWNGRADING
APPROVED FOR PUBLIC RELEASE;	DISTRIBUTION UNLIM	
		ITED
		ITED
APPROVED FOR PUBLIC RELEASE; OSTRIBUTION STATEMENT (of the abetract on	ntered in Block 20, if different fro	ITED so Report)
APPROVED FOR PUBLIC RELEASE; OUTPLEMENTARY NOTES	ntered in Block 20, if different fro	ITED so Report)
APPROVED FOR PUBLIC RELEASE; O DISTRIBUTION STATEMENT (of the abetract on Supplementary notes	ntered in Block 20, if different fro	TTED m Report)
APPROVED FOR PUBLIC RELEASE; DISTRIBUTION STATEMENT (of the obstract on supplementary notes KEY WORDS (Continue on reverse side if necesse EAST GREENLAND CURRENT	ntered in Block 20, if different fro	TTED m Report)
APPROVED FOR PUBLIC RELEASE; DISTRIBUTION STATEMENT (of the aboutact on supplementary notes KEY WORDS (Continue on reverse side if necesse EAST GREENLAND CURRENT ICEBREAKER NORTHWIND	mery and identify by block number) MIZEX EAST GREENLAND POL MARGINAL ICE ZONE Any and identify by block number) property profiles for the U.S. Coast e waters off the eas Neil Brown Mark III	AR FRONT or each of the 122 Guard Icebreaker over st coast of Greenland CTD was used to

shown.


DD 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

5/N 0102- LF- 014- 6601

TABLE OF CONTENTS

	:	PAGE
I.	INTRODUCTION	1
II.	MORE DETAILS OF THE CRUISE	2
III.	MEASUREMENTS	3
IV.	REFERENCES	5
	APPENDIX A	6
	APPENDIX B	16
	DT CTD TRUTTOM	47



:

MIZLANT 81 DATA REPORT

RESULTS OF AN OCEANOGRAPHIC CRUISE TO THE GREENLAND SEA OCTOBER-NOVEMBER 1981

by

Robert H. Bourke and Robert G. Paquette

I. INTRODUCTION

This report presents the oceanographic data acquired during the cruise of the U. S. Coast Guard ice breaker NORTHWIND (WAGB-282) to the northern part of the East Greenalnd Polar Front (EGPF) in the Greenland Sea during October and November 1981. This cruise has been designated Arctic East 1981 (AE81), but for continuity with past cruises is also termed MIZLANT 81. The cruise had as its primary objective a close examination of the EGPF between about 75° and 80°N. This was one of the rare sets of oceanographic observations in this area in autumn and the first done with close-spaced stations and a modern, high-resolution CTD. The NORTHWIND covered over 1600 km of track within the survey area. One hundred twenty-two CTD stations were occupied at spacings varying from 5 to 30 km. These stations were supplemented by 123 not always successful XBT drops. The latter were used between stations and in the otherwise unsampled portion of the track between 69°-27'N and the beginning of regular stations at

74°-51.5°N. These XBT results were sent to the NAVOCEANO representative to COMSUBDEVRON TWELVE, Naval Submarine Base, New London, Groton, Connecticutt. A few XBT's were used to extend CTD lines.

The EGPF was found strongly delineated by the Polar Water-Atlantic Intermediate Water (PW-AIW) contrast. It was made particularly striking by the Return Atlantic Current (RAC), a core of warm southward-flowing AIW submerged beneath the PW and penetrating, somewhat modified, onto the shelf. The RAC contained considerable thermal finestructure in most places. The eastern edge of the EGPF, over the RAC, was marked by a strong geostrophic jet.

Previous reportings of cruise results were made by Paquette (1982), Perdue (1982) and, in a scientific paper, by Paquette, Bourke, Newton and Perdue (1985).

II. MORE DETAILS OF THE CRUISE

The scientific party boarded NORTHWIND between 9 and 10 October 1981 in Reykjavik, Iceland. The members of the scientific party and their affiliations were:

- Dr. M. Allan Beal, Arctic Submarine Laboratory, NOSC San Diego, California, Chief Scientist.
- Dr. Robert H. Bourke, Naval Postgraduate School, at that time on sabbatical leave at Scott Polar Research Institute, Cambridge University, Cambridge, England.
- Dr. John L. Newton, Science Applications, Inc., La Jolla, California.
- LT William F. Perdue, Graduate Student,

Naval Postgraduate School, Monterey, California.

Mr. Jerrold G. Norton, Naval Postgraduate School.

Mr. Kim O. McCoy, Naval Postgraduate School.

The cruise track and locations of CTD stations are indicated in Figure 1. Sampling commenced on 17 October and terminated four weeks later on 14 November. A listing of the locations of all CTD stations and ancillary climatological data at each station is shown in Appendix A.

Wind speeds were generally low until 29 October, after which they were generally above 15 knots, reaching 35 knots on 10-11 November. Thereafter they became moderate, with some periods of speed below 10 knots. Air temperatures were well below freezing, especially during the latter half of the cruise.

All of the sampling was done from the ship. Darkness and poor visibility prevented using the ship's helicopters for oceanographic measurements. Adequate visibility and the need for helicopter-based sampling never coincided. However, the helicopters were of considerable utility in ice reconnaissance.

III. MEASUREMENTS

The primary oceanographic instrument was the Neil Brown Instrument Systems (NBIS) Mark III CTD. Data were collected, stored, and displayed using a Hewlett-Packard

9835B computer and 9872A x-y flat-bed plotter. As in the past, an extension was bolted on to the protective frame of the CTD; the lower part of the frame and the extension were covered with coarse wire mesh to protect the sensors from contact with the bottom and with ice. No apparent deterioration in sensor accuracy or response have been noted using this technique.

Some CTD difficulties were experienced during the coldest weather. It was not possible to keep the instrument warm enough to prevent ice formation on the sensors and occasional complete failure to operate. These problems were cured by several minutes "soaking" and up-and-down flushing of the instrument in the sea before each lowering.

The temperature and conductivity sensors of the NBIS CTD were calibrated at NPS prior to the cruise. The calibrated pressure sensor had a 1600 dbar range. The sampling rate of the CTD was set to about 0.4 m of depth per sample. Checking of the temperature and conductivity sensors during the cruise was done by means of a single Nansen bottle and reversing thermometers placed immediately above the CTD. Sample salinities were determined with a deck salinometer. Because of breakage of all but 4 vials of standard water only 17 of the salinity comparisons were reliable. The average deviations of the CTD from reversing bottle results were approximately +0.004°C and +0.006

o/oo in salinity, about the limit of error for such measurements; therefore, no corrections were applied.

The plots of properties shown in Appendix B are from data which has been edited, despiked and smoothed with a centered 5-point running mean.

IV. REFERENCES

- Paquette, Robert G., Cruise Report, USCGC NORTHWIND 1981, October- November 1981, Naval Postgraduate School, Monterey, California, Informal Report, 12 February 1982, 13 pp.
- Perdue, William F., Oceanographic Investigation of the East Greenland Polar Front in Autumn, Master's Thesis, Naval Postgraduate School, Monterey, California, March 1982, 80 pp.
- Paquette, Robert G., Robert H. Bourke, John L. Newton and William F. Perdue, The East Greenland Polar Front in Autumn, J. Geophys. Res. 90 (C3), 4866-4882 (May 20, 1985).

APPENDIX A

Explanation of Heading Codes

The heading of the printed output uses the coding from NODC Publication M-2, August 1964, with a few exceptions. Heading entries which are not self-explanatory are as follows: MSQ is the Marsden square, and DPTH is the water depth in meters. Wave source direction (WVD) is in tens of degrees, but the direction 00 indicates calm seas due to ice dampening. The significant wave height is coded by Table 10 (code - 2 = height in meters). Wind speed, V, is coded as Beaufort force, Table 17. The barometer is in millibars, less 1000 if more than 3 digits; wet and dry bulb temperatures are in degrees C. The present weather is from Table 21 with cloud type and amount from Tables 25 and 26, respectively. The combination 4 X 9 indicates that clouds cannot be observed usually because of fog conditions. The visibility is from Table 27 which is roughly in powers of two with code 4 = 1-2 km. The ice concentration, ICE, is in tenths; amounts less than one tenth are preceded by a minus sign and indicate concentrations in powers of ten, e.g., 10-4 = -4.

The entry, NAV, is a code to identify the accuracy of each station position based upon the navigation system used. Code 1 indicates a position determined by visual sightings, radar or by navigation satellite; Code 2 a position determined by Omega or Loran; and Code 3 a

position determined by dead reckoning.

The heading data are listed sequentially with increasing station number. Because of data recovery problems five stations are out of order: 12, 21, 27, 48 and 71. These are listed at the end.

NAT	SHIP	LAT	LONG	MSQ	₩	DY YR	H	STA	DPTH	A V	I CE	MVD	H	A QNM	BAR DRY-T	T WET		WTHR	כר א	AMT VI	X I S
31	3	N74-51.5	N74-51.5 W010-11.9	254	10	17 81	08.8	-100	3110	-	9-	07	-	2 92	002 -07.0	7.70- 0	7	_	9		_
31	¥	N74-51.5	W010-11.9	254	10	17 81	10.8	-200	3110	-	9	07	-	26 2	002 -07.0	7.70- 0	1	_	9	2	~
31	¥	N75-02.6	N75-02.6 W010-47.9	254	101	17 81	15.9	003-	2708	-	ĸ	03	0	23 3	002 -07.7	7 -08.6	9	_	9	-	_
31	¥	N75-08.0	N75-08.0 W011-08.2	254	101	17 81	20.4	-400		-	-	00	0	0 00	003 -12.2	2 -12.9	0	0		0	_
31	¥	N75-15.6	N75-15.6 W010-05.0	254	10	18 81	03.3	-500	2743		7	00	0	35 3	004 -08.6	6 -09.2	8	•		0	_
31	¥	N75-24.0	N75-24.0 W009-03.3	253	5	18 81	08.2	-900	2872	-	-5	00	0	34 3	006 -05.0	0 -05.2	8	0		0	7
31	ž	N75-35.6	N75-35.6 W007-45.1	253	101	18 81	11.5	-200	3068	-	∞	00	0	9 80	005 -01.2	2 -02.0	0	_	9	4	7
31	¥	N75-49.1	N75-49.1 W006-52.0	253	101	18 81	14.8	-800	2780	-	0	10	~	1 7 17 0	0.00 -00.9	9 -02.1	-	_	•	9	_
31	¥	N76-01.2	N76-01.2 W006-00.3	253	10 1	18 81	17.2	-600		-	0	70	ຕ	9 40	007 -00.3	3 -00.3	60	8	9	 80	-
31	X	N76-11.6	N76-11.6 W006-46.0	253	01	18 81	19.6	010-	2438	-	7	00	0	03 5	006 -00.3	-00-	60	N	va	7	_
31	X	N76-21.5	W007-32.2	253	101	18 81	22.4	-110	1268	-	2	00	0		800						
31	¥	N76-17.1	N76-17.1 W007-23.0	253	10	19 81	7.70	013-	1380	-	2	00	0	35 6	8.90- 800	-08.	8	_	9	.	9
31	¥	N76-19.3	N76-19.3 W007-36.2	253	10	19 81	09.2	014-	1242	-	60	00	0	36 6	007 -07.2	2 -07.5	2	_	9	,- eo	~
31	X	N76-26.0	N76-26.0 W007-47.0	253	101	19 81	13.8	015-	1890	~	80	00	0	35 4	8.70- 700	8 -08.3	6	_		8	9
31	X	N76-33.0	N76-33.0 W008-07.2	253	10 1	19 81	20.4	016-	0309	-	10	00	0	90	010 -04.3	3 -04.4	4		_	6	_
31	¥	N76-37.9	N76-37.9 W008-14.9	253	10 2	20 81	0.50	-710	0320	-	10	00	0	35 6	012 -06.6	9.90- 9	9	_	_	6	8
31	M	N76-46.1	N76-46.1 W008-23.3	253	10 2	20 81	14.7	018-	0320	-	10	00	0	30 2	012 -08.9	9 -09.2	8	8	_	80	9
31	3	N76-49.2	W008-49.8	253	30 2	20 81	18.8	019-	0368	-	10	00	0	0 00	011 -08.0	0 -08.6	9	-		1	7
31	ĭ	N76-49.2	W008-49.8	253	10 2	20 81	19.0	020-	0368	-	10	00	0	0 00	011 -08.1	1 -08.6	9	_	_	7	_
31	¥	N76-49.3	W008-55.3	253	10 2	21 81	15.8	022-	1 0350	-	10	00	0	0 00	012 -13.0	-13.	8	_	_	-	-
31	¥	N76-49.2	W008-55.0	253	10 2	21 81	17.0	022-	2 0350	-	10	00	0	0 00	110			_	_	-	_
31	X	N76-49.0	N76-49.0 W008-55.2	253	10 2	21 81	18.1	022-	3 0359	-	10	00	0	04 2	010 -15.6	6 -15.6	9	0		0	7
31	X	N76-48.9	N76-48.9 W008-55.1	253	10 2	21 81	19.1	022-	4 0359	3	10	00	0	04 2	010 -15.9	9 -15.9	6	_	7	•	9
31	¥	N76-48.7	N76-48.7 W008-55.0	253	10 2	21 81	20.1	022-	5 0350	က	10	00	0	0 00	9.41- 600	4.41- 2	a	0		0	_

0 0 0 0 0	2.0 1 7 3	1 1 r	T							
-10.6	008 -12.0 -12.0 007 -12.C -12.0	-12.0 -12.6 -01.5	-12.0 -12.c -01.5	-12.0 -12.6 -01.5 -00.5	-12.0 -12.0 -01.1 -00.5 -00.2	-12.0 -12.6 -01.5 -00.5 -00.0 -00.0	-12.0 -12.0 -01.1 -00.5 -00.0 -00.0 -00.0	12.0 12.0 10.0 10.0 10.0 10.0 10.0 10.0	12.0 12.0 10.0 10.0 10.0 10.0 10.0 10.0	12.1 12.1 12.0 10.0 10.0 10.0 10.0 10.0
0 15 2 0 16 2	0 13 3	0 00 0	0 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		13 3 3 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	
3 10 00	1 10 00			3 10	1 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 10 1 1 10 1 10 10 10 10 10 10 10 10 10	01 1 00 1 1 00 01 1 00 01 1 00 01 01 01	01 1 1 1 1 8 8 1 1 1 8 1 1 1 1 1 1 1 1 1	01 1 0 01 1 0 01 01 01 01 01 01 01 01 01	
022- 7 0339 022- 8 0350	022- 9 0341	6 9 9 -	3 7 7 6 6 9	000-040	000-00-00-	000-00-00	0001001000000	8 9 9 7 8 8 8 8 9 9 9 9 9 9 9 9 9 9 9 9	000-0400-00-05	000-00-00-00-00-00-00-00-00-00-00-00-00
22.0 02 23.0 02 02 02 02										
10 21 81 10 21 81 10 22 81		22 22 23 23	2 2 2 2 2 2 2 2 2 2 2 3 2 3 2 3 2 3 2 3	2 2 3 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5	3 3 3 3 3 3 3 3 5 5 5 5 5 5 5 5 5 5 5 5	3 3 3 3 3 3 3 3 3 3 3 5 5 5 5 5 5 5 5 5	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 5 5 5 5 5	F 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 5
N76-48.6 W008-55.2 253 N76-48.6 W008-55.3 253 N76-48.6 W008-55.1 253		N76-47.4 W008-57.8 253 N76-47.4 W008-57.8 253 N76-47.4 W008-57.8 253								
76-										

WTHR CL ANT VIS	N	8	•	•	ď	ß	8	Ŋ	'n	Ŋ	-	ø,	m	*	#	9	9	9	9	#	: •	-	8	5
AM	Φ.	0	0	Q	0	Φ.	0	Q	0,	Q,	σ,	•	40	40	ĸ	0	Q	0	0	€0	₩	σ	ο,	0/
5	×	×	×	×	×	×	×	×	×	×	×		1	7	7	×	×	×	×	7	7	×	×	×
WTH	7	~	7	7	7	_	7	1	7	7	#	#	#	#	-	#	#	#	4	4	~	7	7	7
WET	-00.2	-00.2	٠			-03.2	-03.2	-03.2	-03.2	-01.0	0.00	-01.5	-02.8	-02.5	-03.0	-03.8	-03.8			-03.8		-00.5		-00.5
BAR DRY-T	00.5	00.2				-03.2	-03.0	-03.0	-03.0	-01.0	0.00	-01.1	-02.8	-02.5	-03.0	-03.8	-03.8			-03.8		-00.5		-00.5
BAR	966	166	966	997	966	866	900	007	007	800	600	600	010	010	010	010	010	010		013	012	110	600	800
DPTH NAV ICE WVD HT WND V	08 2	06 2	09 2	09 2	10 3	17 3	17 3	17 3	17 3	60	11 3	17 3	24 3	24 3	21 1	26 3	23 3			0 00	08 2	90	11 3	016
HT	0	0	0	0	0	0	0	0	0	0	0	en	m	es.	,٨	8	m	ന	e	8	7	7	0	0
Q A	8	00	00	00	00	00	00	. 8	00	00	8	12	18	8	18	18	19	20	21	2	22	21	=	90
ICE	2	10	10	10	20	10	60	60	60	90	05	0	•	•	0	0	0	0	-2	-5	-7	-	10	€
NAV	-	-	~		-	-	-	-	-	~	-	-	8	8	-		-	က	-	-	-	-	-	.~
DPTH	0336	0340	0340	0328	0327	0350	0318	0318	0318	1010	1718	1880	2250	2348	2150	1970	1672	1618	1526	2078	1718	1978		1947
STA	023-19	023-20	023-21	023-22	023-23	024-	025-	-970	026-UP	028-	029-	030-	031-	032-	033-	034-	035-	036-	037-	038-	039-	-040	041-	042-
#	03.2	03.2	05.1	1.90	07.2	19.1	02.1	9.40	9.40	10.0	13.5	15.1	17.2	19.2	21.3	23.6	01.9	03.5	08.5	12.3	15.4	17.3	23.1	02.4
ΥR	81	8	6	5	2	18	8	18	18	18	8	18	18	18	18	18	18	8	18	18	81	8	8	81
MO DY YR	10 24	24	10 24	24	24	24	25	25	25	10 25	10 25	10 25	25	25	25	25	10 26	10 26	10 26	56	10 26	26	56	27
		5		0	2	10	10	10	10	10	5	2	10	10	10	10	2	10	10	0	2	10	10	10
MSQ	1 253	5 253	253	5 253	1 253	1 253	253	253	253	253	253	1 253	253	1 253	253	253	253	253	253	253	253	253	1 253	253
PNOT	M76-49.9 W009-03.4	M009-04.5	M76-44.6 W009-05.3	W009-05.6	W009-07.3	W008-25.3	W007-53.0	M007-40.6	W007-40.6	W006-50.6	W006-27.1	W006-20.8	M005-43.7	W005-21.3	W005-22.9	W005-34.7	W005-42.5	W005-42.9	W004-50.4	W004-07.1	W003-31.0	W002-54.9	W003-04.3	W003-13.7
ž	N76-49.9	N76-44.9	M76-44.6	N76-44.6	N76-44.4	N76-46.7	N76-35.9	N76-31.8	N76-31.8	N76-32.0	N76-29.9	N76-28.5	N76-25.6	N76-23.1	N76-34.5	N76-39.2	N76-45.3	N76-46.3	N76-51.4	N76-50.7	N76-59.4	N77-02.1	N77-04.8	N77-07.1
NAT SHIP	3	Ĭ	Ĭ	3	ž	3	Ĭ	ž	3	3	2	3	¥	3	¥	3	Ĭ	7	Ž	3	7	Ĭ	3	¥
¥	31	31	31	33	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31
*												10												

HAT	SHIP	Į,	LONG	MSQ	MO DY	Y Y	Ħ	STA	DPTH	¥¥	CE	₹	Ħ	DPTH NAV ICE WVD HT WND V	BAR DRY-T	RY-T	WET	WTHR CL ANT	3		<u>s</u>
31	3	N77-12.3 W003-27.6		253	10 27	7 81	06.5	O43-	2392	~	7	00	0		600			-	×	0	ľ
31	₹	N77-19.1	W003-54.4 2	253	10 27	7 81	10.0	-440	2019	_	7	00	0	10 3	600	01.0	01.2	~	7		9
31	3	N77-24.8	W004-10.6 2	253	10 27	7 81	11.8	-540	1654	_	7	00	0	10 3	600	01.0	01.2	~	1		9
31	₹	N77-22.7	W004-26.7 2	253	10 27	18 7	15.4	-940	1440	-	_	00	0	09 2	010	0.00	0.00	#	×	0	60
31	₹	N77-23.5	N77-23.5 W004-38.6 2	253	10 27	7 81	18.5	-240	1379	~	€	00	0	13 1	012 -	-00.2	-00.2	•	_	•	5
31	≩	N77-59.8 W004-02.0		253	10 28	8 81	10.0	-640	2501	_	0	90	8		020			#	7		·
31	≩	N78-00.0 W003-46.0		253	10 28	8 81	11.2	-050	2605	~	0	90	8	12 4	021	00.00	0.00	#	1		S
31	≩	N78-00.0 W004-17.4		253	10 28	8 81	12.9	051-	2250	-	-5	90	60	18 3	021 -	8.00-	-00.9	8	9	•	7
31	3	N78-00.3	W004-44.6 2	253	10 28	8 81	17.0	052-	1674	-	10	90	0	12 4	024	0.00	0.00	~	7	•	1.
31	₹	N77-58.4	W005-19.5 2	253	10 28	8 81	20.7	053-	461	_	7	00	0	12 4	025	4.00	0.00	5	1	•	
31	≩	N78-00.7	W005-43.1 2	253	10 28	8 81	23.6	-450	323	-	₽	90	0	09 3	026	1.00	-00.2	8	7	© (9
ម 11	₹	N78-00.2 W006-07.8		253	10 29	9 81	03.3	055-	309	-	σ,	00	0		025						
31	≩	N78-00.0 W006-30.4		253	10 29	9 81	05.7	-950	299	-					026						
31	3	N77-59.1 W007-07.1		253	10 29	18 6	0.60	-150	346	-											
31	≩	N78-00.2	W007-32.6 2	253	10 29	18 6	11.2	058-	282	-	Q	00	0	† 80	025 -	-00.2	-01.0	8			9
31	¥	N78-00.0	W008-02.2 2	253	10 29	9 81	13.7	-650	224	-	₽	00	0	07 4	024 -	-00.2	-00.2	1	_	•	*
31	≩	N78-00.6 1	W008-31.9 2	253	10 29	18 6	16.6	-090	215	.	Q	8	0	4 10	024	0.00	0.00	1	7	•	4
31	≩	N78-00.2	W008-51.6 2	253	10 29	9 81	19.5	-190	213	-	ο,	00	0	12 4	024	00.5	00.3	1	~	•	4
31	*	N78-06.0 W009-41.7		253	10 30	9 9 1	02.3	062-	191	-	0	8	9	~	024			1	~		4
31	*	N77-59.8	W010-11.7.253	53	11 03	3 81	07.5	-690	190	_	10	00	0								
31	*	N77-59.8 W010-11.7		253	11 03	3 81	07.5	-690	190	_	5	00	0								<i>:</i>
31	Z	N78-04.5	W009-43.2 2	253	11 03	3 81	15.9	-490	199	-	9	00	0	18 3	- 110	-14.8	-14.9	8	~	8	
31	2	N78-09.3	W009-01.9 2	253	11 04	t 81	9.60	-590	190	-	10	00	0	7	,	-19.7	-19.7	8			•
31	ž	N78-10.7	W008-26.9 2	253	11 05	5 81	04.2	-990	217	-	10	00	0	29 2	- 710	-19.0	-19.0				•

MAT	SHIP	Ŋ	PNOT	MSQ	윷	DY YR	Ŧ	STA	DPTH NAV ICE WVD HT	¥A	I CE	Ą	Ħ	WND V	BAR DRY-T	WET	¥	<u>ಬ</u>	WTHR CL AMT	XIS
31	¥	N78-10.2	N78-10.2 W007-53.2	253	=	18 90	03.4	-190	211	-	9	00	0	08 5	1.90- 600	-07.4				
31	3	N78-13.9	W007-20.5	253	7	06 81	05.7	-890	209	-	10	00	0	9 60	008 -04.5	-04.9				
31	ž	N78-13.9	N78-13.9 W007-20.5	253	1	06 81	05.7	068-UP	209	-	10	00	0	9 60	008 -04.5	-04.9				
31	7	N78-20.2	W006-55.6	253	11 0	06 81	09.1	-690	569	-	10	00	0	10 3	006 -04.5	-04.9				
31	¥	N78-20.2	W006-55.6	253	1	18 90	1.60	969-UP	569	-	10	00	0	10 3	906 -04.5	-04.5				
31	ž	N78-10.7	W006-46.9	253	11 0	18 90	15.3	-010	287	-	σ	00	0	23 5	008 -07.1	-07.7		*	9	7
31	¥	N78-10.9	W006-13.1	253	11 0	07 81	00.00	-110	228	-	10	90	0		013 -13.2	-13.7	•		•	1
31	ž	N78-09.6	N78-09.6 W005-17.7	253	11 0	07 81	11.8	072-	346	-	∞	00	0							
31	3	N78-11.2	W004-56.2	253	11 0	07 81	14.5	073-	863	_	σ	00	0	25 3	007 -08.3	-08.5	#	1	•	*
31	¥	N78-12.5	N78-12.5 W004-31.5	253	11 0	07 81	18.2	074-	1448	-	∞	00	0	25 5	010 -11.7	-11.7	•		Ο.	9
31	¥	N78-11.7	N78-11.7 W004-12.0	253	11 0	07 81	22.8	-510	2160	-	•	00	0	22 3	014 -14.8	-14.8	•		0	•
31	Ĭ	N78-08.4	N78-08.4 W003-41.8	253	11 0	08 81	01.9	-910	2474		∞	8	•	31 4	010 -14.1	-14.0	•		•	9
31	7	N78-03.8	N78-03.8 W003-12.6	253	11 0	18 80	06.1	-110	2696	ო .	Q	00	0	† 90	003 -11.0	-11.0				
31	¥	N78-05.4	N78-05.4 W002-44.5	253	11 0	08 81	08.5	078-	2738	m	8	00	0	#	012					
31	3	N78-58.9	E001-18.8	288	11 0	08 81	23.4	-610	2438	લ	•	16	8	19 7	7.00 066	7.70	9	7	•	*
31	¥	N79-03.6	E000-58.1	288	11 0	09 81	05.5	-080	2697	က	σ	00	0	9 61	989 00.7	00.7	-	•		
31	7	N79-03.7	E000-32.7	288	11 0	09 81	10.3	-180	2556	60	9	8	0	22 4	991 -05.4	-05.4	_			9
31	¥	N78-59.8	E000-00.6	288	11 0	18 60	15.4	082-	2528	-	0	00	0	27 3	991 -09.8	-09.8	1	1	•	*
31	₹	N78-58.3	W000-12.4	253	10	09 81	18.6	083-	2267	æ	0	00	0	32 4	992 -14.0	-14.0	_	1	-	5
31	Ž	N78-55.8	W000-48.7	253	1 0	18 60	22.1	-480	2528	-	6	00	0	34 5	992 -15.2	-15.2		1	_	S
31	*	N78-54.3	W001-17.5	253	=	10 81	01.0	085-	2477	-	6	00	0	30 6	992 -15.5	-17.8		7		.•
31	3	N78-46.0	W001-00.0	253	=	10 81	6.40	0 -980	2565	-	∞	00	0	7	992		-			
31	¥	N78-45.2	W001-01.6	253	=	10 81	05.1	086- D	2565	-	80	00	0	7	992		-			
31	¥	N78-45.2	W001-01.6	253	=	10 81	05.1	086-UP	2565	-	80	00	0	_	992		_			

TAN	NAT SHIP	Ę	PONCT	MSQ	웊	۵	ΥR	¥	STA	DPTH NAV		ICE	WVD HT	H	WND V	BAR DRY-T	r wer	WTHR	# CL	L ANT	T VIS
31	Z		N78-36.3 W000-56.8	253	Ξ	9	18	9.80	-180	2569	-	σ	00	0	33 7	993 -16.8	8 -16.8	«o	_		
31	7	N78-32.7	N78-32.7 W000-33.9	253	=	10	8.1	11.6	-880		-	60	00	0	33 8	ħ 66		·	_		9
31	3	N78-08.3	N78-08.3 M001-04.2	253	=	10	81	17.9	-680	2798	es	0	30	~	32 6	766		•-	×	0	_
31	2	N77-48.3	N77-48.3 H001-48.3	253	Ξ	=======================================	81	1.00	-060	2709	-	•	30	es	31 8	996 -12.0	0 -12.0	0	×	0/	_
31	7	N77-30.5	N77-30.5 W002-42.1	253	=	=	81	07.2	-160	2842	-	0	30	7	33 7	001 -12.3	3 -12.3	67			
31	ž	N77-08.8	N77-08.8 W002-32.6	253	Ξ	=	81	12.6	-260	5662	-	•	34	m	31 6	003 -12.0	0 -12.0	•	7	•	#
31	3	N77-00.7	N77-00.7 W002-21.2	253	Ξ	=	81	14.4	093-	2933	-	0	34	m	31 6	004 -12.0	0 -12.0	0	1	•	ĸ
31	3	N77-00.7	N77-00.7 W002-21.2	253	=	=	8	14.4	093-UP	2933	-	•	34	m	31 6	004 -12.0	0 -12.0	0	1	40	'n
31	Z	N76-58.8	N76-58.8 W003-04.0 253	253	Ξ	=	8	17.9	-460	1988	-	5	00	0	30 6	007 -13.2	2 -13.3	 en	1	N.	iv.
31	ž	N76-58.8	N76-58.8 W003-04.0	253	Ξ	=	18	17.9	094-UP	1988	-	~	00	0	30 6	007 -13.2	2 -13.3	en .	1	w	'n
31	3	N76-56.8	N76-56.8 W003-31.6	253	Ξ	=	81	21.1	-560	1628	-	9	8	0	02 4	018 -15.2	2 -15.3	ອາ	7	7	•
31	¥	N76-56.8	N76-56.8 W003-31.6	253	Ξ	=	81	21.1	095-UP	1628	-	9	00	0	02 4	018 -15.2	2 -15.3	. ·	1	•	•
31	¥	N76-58.0	N76-58.0 W003-49.3	253	Ę	12	8	0.00	-960	1862	-	∞	8	0	32 4	010 -16.2	2 -16.2	~	_	•	9
31	ž	N76-58.0	N76-58.0 W003-49.3	253	=	12	81	0.00	96-uP	1862	-	•	00	0	32 4	010 -16.2	2 -16.2	N	_	•	•
31	Ĭ	N76-55.7	N76-55.7 W004-09.7	253	Ξ	12	81	04.1	-160	1489	-	9	00	0	32 4	011 -16.2	2 -16.2	~	_	0	9
31	Z	N76-55.7	N76-55.7 W004-09.7	253	=	12	8	04.1	097-UP	1489	-	9,	8	0	32 4	011 -16.2	2 -16.2	~	_	0	9
31	ž	N76-56.1	N76-56.1 W004-31.8	253	=	12	2	6.90	-860	1416	-	7	00	0	24 3	011 -17.0	0.71- 0	•	_	•	9
31	ž	N76-56.1	N76-56.1 W00%-31.8	253	=	12	81	6.90	098-UP	1416	-	1	00	0	24 3	011 -17.0	0 -17.0	•	_	•	9
31	ž	N76-59.7	N76-59.7 W004-45.6	253	=	12	81	4.60	-660	1445	-	80	00	0	32 4	013 -17.0	0 -16.9	0	_	0	9
31	X	N76-59.7	N76-59.7 W004-45.6	253	11	12	8	4.60	99-uP	1445	-	89	00	0	32 4	013 -17.0	6.91- 0	6	_	0	9
31	X	N76-59.4	N76-59.4 W005-13.9	253	=	12		12.0	-001	1380	-	∞	00	0	33 3	013 -16.3	3 -16.3	_	٥	•	•
31	ž	N76-59.4	N76-59.4 W005-13.9	253	= ,	12 (. 18	12.0	100-UP	1380	-	80	00	0	33 3	013 -16.3	3 -16.3	_	0	•	9
31	Ĭ	N76-58.6	N76-58.6 W005-36.1	253	1	12 (18	14.0	-101	1088	-	80	00	0	33 6	013 -16.4	4 -16.5		٥.	•	9
31	¥	N76-58.6	N76-58.6 W005-36.1	253	Ξ	12 (81	14.0	101-UP	1088	-	∞	00	0	33 6	013 -16.4	t -16.5	.	_	•	•

The second secon

NAT SHIP LAT	-		LONG	MSG	9	DY YR	E E	STA	DPTH	NAV	106	WVD	Ħ	MND V		BAR DR	DRY-T	WET	XTHR	CF	AMT	<u> </u>
NW N77-01.2 W006-03.2			•••	253	:	12 81	17.5	102-	0728	_	10	00	0	30 4	410		-21.0	-20.8	•		•	9
NW N77-01.2 W006-03.2 2			~	253	=	12 81	17.5	102-UP	0728	-	10	00	0	30 4		014 -2	-21.0	-20.8	•		•	9
NW N76-54.1 W005-45.2 253			25	60	=	13 81	91.0	103-	1191	-	0	00	0	30 3		015 -2	-22.0	-22.0	•		0	9
NW N76-50.1 W005-52.4 253			253		=	13 81	0.40	104-	1380	-	0	00	0	32 2	910	و			0		•	. •
NW N76-46.0 W006-05.2 253			253		=	13 81	96.5	105-	1318	-	0	8	0	31 2	016	9			0		•	9
NW N76-40.0 W006-23.8 253			253		Ξ	13 81	7.60	-901	1398	-	0	00	0	24 2		015 -2	-21.2	-20.5	•		0	9
NW N76-34.7 W006-20.7 253			253		Ξ	13 81	12.3	107-	1400	-	10	00	•	25 3		016 -2	-22.0	-22.0	•		•	ю
NW N76-29.4 W006-07.6 253			253		=	13 81	13.9	108-	1985	-	9	00	0	23 3		017 -10	-16.2	-16.2	•		•	9
NW N76-34.4 W005-51.2 253			253		Ξ	13 81	16.3	-601	2006	-	Š	00	0	23 3		016 -1	-15.7	-15.7	•		0	9
NW N76-35.0 W005-33.4 253			253		Ξ	13 81	18.4	110-	2078	-	5	00	0	22 4		016 -1	-16.1	-16.1	•		0	9
NW N76-36.1 W005-02.4 253			253		Ξ	13 81	23.7	111-	2258	-	10	8	0	15 2	410	<u> </u>			1	1	*	9
NW N76-39.6 W004-45.2 253			253		=	14 81	01.6	112-	2203	-	O,	00	0	08 3	012	2			1			
NW N76-38.5 W004-17.5 253			253		Ξ	14 81	05.8	113-	2569	m	Q	00	0	•••	3 00	00 -0	-02.8	-03.2	1			
NW N76-45.3 W004-20.4 253	N76-45.3 W004-20.4 253	W004-20.4 253	253		Ξ	14 81	08.5	114-	2228	-	1	8	0	20 5		003 -0	-03.0	-03.5	-			
NW N76-49.8 W004-18.4 253	N76-49.8 W004-18.4 253	W004-18.4 253	253		Ξ	14 81	11.1	115-	1837	-	1	00	0	19 2		005 -0	-02.8	-03.2	-			
NW N76-56.4 W004-19.1 253			253		Ξ	14 81	14.7	116-	1538	-	7	00	0	13 4		0- 166	-01.6	-02.0	-	1	•	9
NW N77-01.7 W004-10.4 253			253		=	14 81	16.8	117-	1718	-	0,	8	0	9 60		0- 466	-01.7	-01.7	7	×	σ,	67)
NW N77-00.0 W004-48.4 253			253		=	14 81	18.8	118-	1538	_	0,	00	0	08 5		988 -0	-01.2	-01.3	7	×	•	•
NW N77-00.0 W004-26.3 253			253		Ξ	14 81	21.2	119-	1628	-	9	00	0	9 60		982 -0	-00.5	-00.5	1	×	0	•
NW N77-00.1 W004-05.0 253			253		=	15 81	00.2	120-	1837	-	∞	00	0	18 3		982 -0	-01.2	-01.2	~			
NW N77-00:9 W003-42.1 253			253		Ξ	15 81	02.6	121-	1874	_	r	00	0	15 4	186	=			-			
NW N76-58.4 W003-08.0 253	N76-58.4 W003-08.0 253	W003-08.0 253	253		Ξ	15 81	05.5	122-	1764	-	n	00	0	~	982	2			-			
NW N76-18.0 W007-19.6 253	N76-18.0 W007-19.6 253	W007-19.6 253	253		10	19 81	01.1	012-	1289	-	2	00	0		9	0- 800	-06.2	-07.0				
NW N76-50.3 W008-55.6 253	N76-50.3 W008-55.6 253	W008-55.6 253	253		9	21 81	4 . 80	021-	0356	-	10	00	0	26 2		012 -0	-08.8	-09.0	-	7	#	9

STATION DATA MIZLANT 81 (ARCTIC EAST 1981)

Ι	SHIP	AT SHIP LAT	LONG	MSQ	9	MO DY YR	Ϋ́R	¥	STA	DPTH	¥	CE	QΑ	H	DPTH NAV ICE WVD HT WND V	BAR	RY-T	BAR DRY-T WET WTHR CL ANT VIS	WTH	5	AHT	S -
31	3	N76-32.7	31 NW N76-32.7 W007-13.2 253	253	10	25	19	10 25 81 06.9	-120	0875	-	9,	8	0	1 9 00 0 09 3	800	9.10	008 -01.6 -01.8 7 X 9	7	×	0,	•
31	7	N77-39.8	31 NW N77-39.8 W003-48.9 253	253	10	28	18	10 28 81 03.8	-840	2252	-	-2	90	(C)	1 -2 06 3 15 4	018	9.10	018 -01.8 -02.0 4 X	4	×	ο,	
31	ž	N78-10.9	31 NW N78-10.9 W006-13.1 253	253	Ξ	07	18	11 07 81 00.0	-110	0228	-	2	1 10 00 0	•		013	.13.2	-13.2 -13.7	•		0	1
5	TOTAL 171	171																				

APPENDIX B


Property Profiles For MIZLANT 81 Stations


This section contains plots of temperature, salinity, sound speed, and sigma-t for the 122 stations of MIZLANT 81 which were recovered from the cassette tapes of the data-logging system. Both down and up traces were obtained at each station; however, the up trace was recorded only on about half of the stations. To illustrate the change in property profile with time, a sampling of both down and up traces is included between Stations 86 and 102. Where this is done the down trace is on the left.


Temperature has a small range for stations well within the ice pack whereas, east of the ice, the temperature has a moderate range and the salinity a small range. In order to show the property variations with maximum resolution the property scales have been expanded. This has the concomitant result that the scales must vary from page to page. In some cases, the same stations have been plotted on two different scales.


The stations are plotted four per page. To assist in distinguishing between curves the temperature profile has been darkened three times while the salinity trace only twice. The curves are also labeled: T for temperature, S


for salinity, SV for sound velocity, and ST for sigma-t. The plots of Station 86 may appear confusing. The first plot is for 86-Down; computer memory was used up before the lowering was completed and a short section of the continuation of this lowering to greater depth was recorded as 86-2-D and is shown in the next frame. Finally, the up trace, starting at the deepest depth of 86-2-D, is shown at the right, failing to reach the surface before the memory was full.

























SUFU SELEMIZLANT81 C.T.D. STATIONS 28.2 1480 35.0 23-4 26.2 1430 32.5 -2.0 28.2 1480 35.0 3.0 23 26.2 1430 32.5 -2.0 DEPTH 350 5 5 5 0 (M) 26



















0SEC. SEEMIZLANT81 C.T.D. STATIONS 808 37.58 32 34 3.00 23 14: 30: 88.1 ∞ \pm ∞ ∞ 3-2 \mathfrak{C} \mathfrak{C} 30.0 23 14 30 -1 DEPTH \$2 \$ \$ 1 0 (M) 33


































































































INITIAL DISTRIBUTION LIST

	·	No.	Copie
1.	Director		
	Applied Physics Laboratory		
	Attn: Mr. Robert E. Francois	•	1
	Mr. E.A. Pence		1
	Mr. G.R. Garrison Library		i.
	University of Washington		•
	1013 Northeast 40th Street		
	Seattle, Washington 98105		
2.	Director		5
	Arctic Submarine Laboratory		_
	Code 54, Building 371		
	Naval Ocean Systems Center		
	San Diego, California 92152		
3.	Superintendent		
	Naval Postgraduate School		•
	Attn: Library, Code 0142		2
	Dr. R.H. Bourke, Code 68Bf Dr. R.G. Paquette, Code 68Pa		2 5 5
	Monterey, California 93943		5
4	Mr. Beaumont M. Buck		1
•	Polar Research Laboratory, Inc.		•
	6309 Carpinteria Ave.		
	Carpinteria, California 93103		
_			
5.	Chief of Naval Operations		
	Department of the Navy Attn: NOP-02		1
	NOP-22		
	NOP-964D2		ī
	NOP-095		1 1 1
	NOP-098		1
	Washington, District of Columbia 20350		
6.	Commander		1
	Submarine Squadron THREE		
	Fleet Station Post Office		
	San Diego, California 92132	`	
7.	Commander		1
	Submarine Group FIVE		
	Fleet Station Post Office		

8.	Dr. John L. Newton 10211 Rookwood Drive San Diego, California 92131	2
9.	Director Marine Physical Laboratory Scripps Institution of Oceanography San Diego, California 92132	
10.	Commanding Officer Naval Intelligence Support Center 4301 Suitland Road Washington, District of Columbia 20390	1
11.	Commander Space and Naval Warfare Systems Command Department of the Navy Washington, District of Columbia 20360	1
12.	Director Woods Hole Oceanographic Institution Woods Hole, Massachusetts 02543	1
13.	Commanding Officer Naval Coastal Systems Laboratory Panama City, Florida 32401	1
14.	Commanding Officer Naval Submarine School Naval Submarine Base, New London Groton, Connecticut 06349-5700	1
15.	Assistant Secretary of the Navy (Research and Development) Department of the Navy Washington, District of Columbia 20350	1
16.	Director of Defense Research and Engineering Office of Assistant Director (Ocean Control) The Pentagon Washington, District of Columbia 20301	1
17.	Commander, Naval Sea Systems Command Department of the Navy Washington, District of Columbia 20362	1
18.	Chief of Naval Research Department of the Navy Attn: Code 102-0S Code 220 Code 425 Arctic 800 N. Quincy Street	1 1 1
	Arlington Virginia 22217	

19.	Fisheries-Oceanography Library Oceanography Teaching Bldg., WB-30 University of Washington Seattle, WA 98195	. 1
20.	Commanding Officer Naval Underwater Systems Center Newport, Rhode Island 02840	1
21.	Commander Naval Air Systems Command Headquarters Department of the Navy Washington, District of Columbia 20361	. 1
22.	Commander Naval Oceanographic Office Attn: Library Code 3330 Washington, District of Columbia 20373	1
23.	Director Advanced Research Project Agency 1400 Wilson Boulevard Arlington, Virginia 22209	1
24.	Commander SECOND Fleet Fleet Post Office New York, New York 09501	1
25.	Commander THIRD Fleet Fleet Post Office San Francisco, California 96601	` 1
26.	Naval Surface Weapons Center White Oak Attn: Mr. M.M. Kleinerman	1
	Library Silver Springs, Maryland 20910	1
27.	Officer-in-Charge New London Laboratory Naval Underwater Systems Center New London, Connecticut 06320	1
28.	Commander Submarine Development Squadron Twelve Naval Submarine Base New London Groton, Connecticut 06349	. 1

29.	Commander Naval Weapons Center Attn: Library China Lake, California 93555	1
30.	Commander Naval Electronics Laboratory Center Attn: Library 271 Catalina Boulevard San Diego, California 92152	1
31.	Director Naval Research Laboratory Attn: Technical Information Division Washington, District of Columbia 20375	1
32.	Director Ordnance Research Laboratory Pennsylvania State University State College, Pennsylvania 16801	1
33.	Commander Submarine Force U.S. Atlantic Fleet Norfolk, Virginia 23511	1
34.	Commander Submarine Force U.S. Pacific Fleet Attn: N-21 FPO San Francisco, CA 96860	
35.	Commander Naval Air Development Center Warminster, Pennsylvania 18974	1
36.	Commander Naval Ship Research and Development Center Bethesda, Maryland 20084	1
37.	Commandant U.S. Coast Guard Headquarters 400 Seventh Street, S.W. Washington, DC 20590	1
38.	Commander Pacific Area, U.S. Coast Guard 630 Sansome Street San Francisco, California 94126	1
39.	Commander Atlantic Area, U.S. Coast Guard 159E, Navy Yard Annex Washington District of Columbia 20590	` 1

40.	Commanding Officer U.S. Coast Guard Oceanographic Unit Building 159E, Navy Yard Annex Washington, District of Columbia 20590	1
41.	Scientific Liaison Office Office of Naval Research Scripps Institute of Oceanography La Jolla, California 92037	1
42.	SIO Library Scripps Institute of Oceanography P.O. Box 2367 La Jolla, California 92037	- 1
43.	School of Oceanography, WB-10 University of Washington Attn: Dr. L.K. Coachman Dr. K. Aagaard Dr. S. Martin Seattle, Washington 98195	1 1 1
44.	Library, School of Oceanography Oregon State University Corvallis, Oregon 97331	1
	CRREL U.S. Army Corps of Engineers Attn: Library Hanover, New Hampshire 03755-1290	1
46.	Commanding Officer Fleet Numerical Oceanography Center Monterey, California 93940	1
47.	Commanding Officer Naval Environmental Prediction Research Facility Monterey, California 93940	1
48.	Defense Technical Information Center Cameron Station Alexandria, Virginia 22314	2
49.	Commander Naval Oceanography Command NSTL Station Bay St. Louis, Mississippi 39529	1
50.	Commanding Officer Naval Ocean Research and Development Activity Attn: Technical Director Dr. J.P. Welsh, NSTL Station Bay St. Louis, Mississippi 39529	1

PRODUCED SECTIONS

51.	Commanding Officer Naval Polar Oceanography Center, Suitland Washington, District of Columbia 20373	1
52.	Director Naval Oceanography Division Naval Observatory 34th and Massachussetts Ave. NW Washington, District of Columbia 20390	ì
53.	Commanding Officer Naval Oceanographic Command NSTL Station Bay St. Louis, Mississippi 39522	1
54.	Scott Polar Research Institute University of Cambridge Attn: Library Sea Ice Group Cambridge, England CB2 1ER	1
55.	Chairman Department of Oceanography U.S. Naval Academy Annapolis, Maryland 21402	1
56.	Dr. James Morison Polar Science Center 4059 Roosevelt Way, NE Seattle, Washington 98105	1
57.	Dr. Kenneth Hunkins Lamont-Doherty Geological Observatory Palisades, New York 10964	1
58.	Dr. David Paskowsky, Chief Oceanography Branch U.S. Department of the Coast Guard Research and Development Center Avery Point, Connecticut 06340	1
59.	Science Applications, Inc. Attn: Dr. Robin Muench 13400B Northrup Way Suite 36 Bellevue, Washington 98005	1
60.	Institute of Polar Studies Attn: Library 103 Mendenhall 125 South Oval Mall Columbus Obio 43210	1

61.	Institute of Marine Science University of Alaska Attn: Library Fairbanks, Alaska 99701	. 1
62.	Department of Oceanography University of British Columbia Attn: Library Vancouver, B.C. Canada V6T 1W5	1
63.	Geophysical Institute University of Alaska Attn: Dr. H.J. Niebauer Fairbanks, Alaska 99701	1
64.	Bedford Institute of Oceanography Attn: Library P.O. Box 1006 Dartmouth, Nova Scotia Canada B2Y 4A2	1
65.	Carol Pease Pacific Marine Environmental Lab/NOAA 7600 Sand Point Way N.E. Seattle, Washington 98115	1
66.	Department of Oceanography Dalhousie University Halifax, Nova Scotia Canada B3H 4J1	1
67.	Mr. Richard Armstrong MIZEX Data Manager National Snow and Ice Data Center Cooperative Institute for Research in Environmental Sciences Boulder, Colorado 80309	2
68.	Research Administration Code 012A Naval Postgraduate School Monterey, CA 93943	1

END

FILMED

11-85

DTIC